



Protected operating conditions

INTERTEC

INTERTEC-HESS GmbH

**КОМПЛЕКСНЫЕ ЗАЩИТНЫЕ СИСТЕМЫ
ДЛЯ КОНТРОЛЬНО-ИЗМЕРИТЕЛЬНЫХ ПРИБОРОВ
ЭКСПЛУАТИРУЕМЫХ В ПОЛЕВЫХ УСЛОВИЯХ**

INTERNEC-HESS GmbH



Компания основана в 1965 г.

Штаб-квартира г. Нойштадт-на-Дунае

Производственная площадь 8 000 м. кв.



Высококвалифицированный персонал

Современное оборудование

Система менеджмента качества ISO 9001



Высокий научно-производственный потенциал

Более 20-ти патентов на продукты и решения

Более 500 000 защитных систем в эксплуатации





Protected operating conditions

INTERTEC

INTERTEC В МИРЕ



SocTrade

Process Engineering

ООО «СокТрейд»

Компания основана в 2000 г.

Штаб-квартира в г. Санкт-Петербург

Инжиниринговый партнер и
официальный дилер «Intertec-Hess»
в Российской Федерации

Поставщик современного
аналитического оборудования



ОСНОВНЫЕ ТРЕБОВАНИЯ К ЗАЩИТЕ ПРИБОРОВ



Защита от экстремальных температур




Защита от ультрафиолетового излучения



Защита от влаги, пыли и образования конденсата



Защита от механических воздействий



Защита от коррозии

GRP - ОСНОВНОЙ МАТЕРИАЛ

GRP (Glass Reinforced Polyester) – армированный стекловолокном полиэфир горячего прессования



Стабильность механических свойств

Удельная прочность выше, чем у стали

Диапазон рабочих температур
от -70°C до +200°C

Низкая теплопроводность

Стойкость к ионизирующим излучениям

Стойкость к плесени и термитам

Стойкость к различным агрессивным средам

Возможность производства изделий любой
формы, цвета и толщины

Неограниченный срок службы

Низкая стоимость



Температура длительной эксплуатации

-65°C... +120°C

Высокое качество и надежность
продукции INTERTEC подтверждается
успешной эксплуатацией в самых
тяжелых климатических условиях
по всему миру



ОСНОВНЫЕ ВИДЫ ПРОДУКЦИИ



Protected operating conditions

INTERTEC



ПРИБОРНЫЕ БОКСЫ



Protected operating conditions



INTERTEC

Компактные размеры

Широкий модельный ряд

Простота изготовления

Отсутствие сварных швов





Protected operating conditions


INTERTEC



MINIBOX 21

Компактный размер




Небольшой вес

Интегрированный
монтаж






Section B-B (1:2)




INTERTEC® INTERTEC-Hess GmbH D-93233 Neuburg/Sa. Refractories: 8 Pbx: 49 (0)94459622-0 Fax: 49 (0)94459622-22		Status:	Scale:	All dimension tolerances are according to DIN 7190-medium unless otherwise specified. Customer: YOKOGAWA Electric CIS Ltd. Description: MINIBOX 21 - Installation Type:	
		Date:	1:5		
Designed by:	05.05.2007	Name:	Funk	Article-No.: A071515-0	
Checked by:					
Drawing-No.: A071515-0		Sheet: 3 of: 4 Size: A3		This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent.	


Front view




Side view



General view




Top view




INTERTEC INTERTEC-Hera GmbH D-93329 Neustadt/Do. Telefon: 09361 9333-0 Fax: 09361 9333-10	Status:	Scale:	All dimension tolerances are according to DIN 7169 medium unless otherwise specified.	
		1:5	Customer:	
		Date:	Name:	Description:
		30.10.2007	U. Baur	MINIBOX 21 with Radar Level Transmitter
		30.10.2007	A. Baur	Type: RLTM 3300 / freeze protection
		Article-No.:	Drawing-No.:	Sheet: 1
		Q072774 - T4	D - 072774 - 0	of: 2
		Editor:	Modification:	Size: A5
		Date:	Name:	This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.


Front view




Side view



Top view





General view



 INTERTEC-Hera GmbH D-69333 Neustadt/B. Röhrenstr. 8 Ph: +49-6204-69622-0 Fax: +49-6204-69622-10		Status:		Scale:		All dimension tolerances are according to DIN 7168 medium unless otherwise specified.	
						Customer:	
						Description:	
		Date		Name		Minibox 21-complete mounted	
		31.7.2007 r.		Ulf Dietz			
		signature		Alexander Stylian		Type:	
						Temperature Measurement	
				Article-No.:		Drawing-No.:	
				DS3002-modification		Sheet: 1	
						of: 2	
						Size: A3	
Editor		Modification		Date		Name	
This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.							


MULTIBOX 25...170




Большой выбор типоразмеров

Различные варианты монтажа


Front view




Side view



General view




Section A-A




INTERTEC INTERTEC-Hera GmbH D-53833 Neudorf/Co. Rolfenbrunn 8 Ph. : 49 (0)4465/9633-0 Fax : 49 (0)4465/9633-32		Status:	Scale:	All dimension tolerances are according to DIN 7169 medium unless otherwise specified. Customer: Emerson Process Management	
		Order:	1 : 7,5		
		Date:	Name:	Description: MULTIBOX 150 Installation complete Type: horizontal / heated	
		approved:	Schwarzl		
		checked:	Zimmer	Drawing-No.: D080201-0-Pos.390	
		Article-No.:			
		P080201-Pos. 390		Sheet: 1 of: 2 Size: A3	
Editor:	Modifikation:	Date:	Name:	This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.	


Front view
Вид спереди





Side view
Вид сбоку



General view
Общий вид




Top view
Вид сверху




INTERTEC		Status:	Scale:	All dimension tolerances are according to DIN 7168 medium unless otherwise specified.	
INTERTEC-Hera GmbH D-93330 Neustadt/Donau, Tel: 09361 9333-0 Fax: 09361 9333-10			1:5	Customer: LUKOIL, ОАО "ЛУКОЙЛ-Нефтепродукты России"	
		Date:	Name:	Description: MULTIBOX 48 ASS - complete mounted	
		Project:	Client:	Type: Temperature Measurement / heated	
		Design:	Author:	Drawing-No.: P080115-T6-1	
		Article-No.:		Sheet: 1	
				of: 1	
				Size: As	
Editor:	Modification:	Date:	Name:	This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.	


Front view




Side view
(without cover part)



General view
(without cover part)




Top view




		Status:		Scale:		All dimension tolerances are according to DIN 7188 medium unless otherwise specified.	
INTERTEC-Heiz GmbH · D-80333 München/Go. Paffenhofstr. 8 Ph.: +49-89-654630-0 Fax: +49-89-654630-10		Order:		1:7,5		Customer: DOW / Schkopau	
						Description:	
			Date:	Name:		MULTIBOX 150 - complete mounted	
			Approved:	13.02.2007		Type:	
			checked:	14.02.2007		DP-Measurement / Heated	
						Drawing-No.:	
			Article-No.:			Sheet: 2	
			A070197-T2			of: 2	
						Size: A3	
Editor	Modification	Date	Name	This drawing is the property of INTERTEC-Heiz GmbH. It shall not be copied or submitted to outside parties without our written consent.			

Sheet: 2
of: 2
Size: A3





INTERTEC INTERTEC-Hera GmbH D-69333 Neustadt/B. Telefonat: 0 69 335469-0 Fax: 0 69 335469-32		Status:	Scale:	All dimension tolerances are according to DIN 7169 medium unless otherwise specified.	
			1:6	Pipe stand with earth device	
		Date	Name	Description:	
		approved 20.11.2008 r.	U. Gier	MULTIBOX 100 - with earthing	
		checked 20.11.2008 c.	A. Rylow	Type:	
				DP - Measurement / heated	
		Article-No.:		Drawing-No.:	
		A073741		D073741-0	
Editor		Modification	Date	Name	Sheet: 1 of: 1 Size: A3
This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.					

Front View




Side View



Top View

General View



INTERTEC® INTERTEC-Heiz GmbH · D-63331 Neu-Isenburg · Refriedberg 8 P.O. Box 48-00445600-0 · Fax: 49-69-48004560-02		Status:	Scale:	All dimension tolerances are according to DIN 7160-medium unless otherwise specified.	
				Customer:	
		Date:	Name:	Description:	
		Designed by:	File:	MULTIBOX 48 ASS - Installation	
		Checked by:		Type:	
				Liquiphant M FTL51	
		Article-No.:		Drawing-No.:	Sheet: 1
		A070055 - T10		A070055 - 0	of: 1
					Size: A3
This drawing is the property of INTERTEC-Heiz GmbH. It shall not be copied or submitted to outside parties without our written consent.					

DIABOX 87...187






Protected operating conditions

INTERTEC




Удобство установки
и обслуживания
приборов

Широкий выбор
монтажных
принадлежностей



Front view
Вид спереди



Capillaries
(buyers scope)
Капилляры
(поставляет заказчик)


Temperature
Switch TS
(in cable)
Термостат TS
(в кабеле)

Heater
MICROTHERM
Нагреватель
MICROTHERM

Bracket
Уголок

Mounting Support MH 87
Монтажный фиксатор MH 87

Top view
Вид сверху




Adapter plate
KBBO-VA
Вырез для двух капилляров
KBBO-VA

Grommets
WDD 6/16
Трубные вводы
WDD 6/16

Cable Glands
M12x1,5 Ex
Кабельные вводы
для заземления
M12x1,5 Ex

Pipe stand 2"
Трубная стойка 2"

Side view
Вид сбоку



DIABOX 87 - Insulated
DIABOX 87 - изолированный


Clasp
Быстросействующие зазоры

Cable Gland
M20x1,5 blue
Кабельный ввод
для сигнального
кабеля
M20x1,5 голубой

Screw-type hose coupling
Кабельный ввод для
металлорукава

Pipe adapter
RAD 2"-Q
Трубный адаптер
RAD 2"-Q

General view
Общий вид



Transmitter
(buyers scope)
Преобразователь
(поставляет заказчик)



Mounting
System
(buyers scope)
Монтажная
система
(поставляет заказчик)

C-rails
MS50QS
С-шины
MS50QS


INTERTEC INTERTEC-Hera GmbH D-93329 Neustadt/Do. Telefon: +49 (0)9364 9032-0 Fax: +49 (0)9364 9032-10		Status:	Scale:	All dimension tolerances are according to DIN 7168 medium unless otherwise specified.	
			1:7	LUKOIL, OAO "ЛУКОЙЛ - Нижегороднефтеоргсинтес"	
		Date	Name	Description:	
		approved 16.11.2008 r.	Ullrich	Diabox 87 - complete mounted	
		checked 16.11.2008 r.	A. Jylow	Type:	
		Article-No.:		Drawing-No.:	
		P080115-T4		P080115-T4-1	
Editor	Modification	Date	Name	This drawing is the property of INTERTEC-Hera GmbH. It shall not be copied or submitted to outside parties without our written consent.	

Sheet: 1
of: 1
Size: A3


Front view

Top view
(without cover part)

Side view



General view




PO:49303557 / SO:33164153


TAG No.: 2-PT832A
 TAG No.: 2-PT833A
 TAG No.: 2-PT834A
 TAG No.: 2-PT832B
 TAG No.: 2-PT833B
 TAG No.: 2-PT834B

		Status:		Scale:		All dimension tolerances are according to DIN 7160 medium unless otherwise specified.	
INTERTEC Heiss GmbH D-12205 Neuenhagen Telefon +49 30 45 12 44 55 Fax: +49 30 45 12 44 55		Order:		1:7		Customer: Emmerson Process Management	
		Date:		Name:		Description:	
		21.05.2009		Hochmeister		DIABOX 137 ASS-complete mounted	
		21.05.2009		Hochmeister		Type:	
						3x Pressure Measurement	
		Article-No.:		Drawing-No.:		Sheet: 1	
		P080063-T1		D080063-0-T1-Pos.10+Pos.20		of: 1	
						Size: A3	
Editor:	Modification:	Date:	Name:	This drawing is the property of INTERTEC Heiss GmbH. It shall not be copied or submitted to outside parties without our written consent.			


Front View




Side View



General View



Top View
(without cover part)



INTERTEC® INTERTEC-Hess GmbH D-62033 Neuapfel-Dorf, Rasthofsweg 9 Tel.: 49 (0)44656532-0 Fax: 49 (0)44656532-32		Status:	Scale:	All dimension tolerances are according to DIN 7190-medium unless otherwise specified.	
				Customer:	
		Date:	Name:	Description: DIABOX 87 ASS - complete mounted	
		designed by:	Func:		
		checked by:		Type: Levelflex M FMP40	
				Drawing-No.: A070055 - 0	
		Article-No.:			
		A070055 - T8			
Editor	Modification	Date	Name	This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent.	

Sheet: 1
of: 1
Size: A3

Окраска боксов и шкафов :

Стандарт - серебристо-серый цвет RAL 7001

По запросу – возможна окраска любого цвета






Protected operating conditions

INTERTEC

Теплоизоляция из
полиуретановой пены



с внутренней оболочкой
из полипропилена



с внутренней оболочкой
из алюминиевой фольги

ФУРНИТУРА



Фиксатор крышки:
оцинкованная или
нержавеющая сталь
По запросу :
газовый амортизатор




Шарниры и
быстродействующие
затворы из нержавеющей
стали в любых комбинациях

Проушина для
навесного замка



Protected operating conditions

INTERTEC



Степень защиты IP 65
по запросу IP 66 или IP 67

Соединение частей:
шпунт-гребень

Уплотнение из EPDM
по запросу уплотнение
из силикона

ВНЕШНИЕ МОНТАЖНЫЕ ПРИНАДЛЕЖНОСТИ



Protected operating conditions

INTERTEC

Фиксатор монтажный для
крепления на трубную стойку


Хомут для крепления
на трубную стойку


Кронштейн для
крепления на стену

Консоль стеновая

Пластина разделенная с хомутом
для крепления на фланец


Материал:
нержавеющая или оцинкованная сталь






Адаптер трубный 2"


Монтажная плита




Монтажная система
со сменной платой



Монтажная пластина
для вентиляльных блоков



Монтажная шина
С-профиль





Protected operating conditions

INTERTEC

ПРИНЦИП МОНТАЖНОГО ЭЛЕМЕНТА




Вес оборудования не нагружает корпус бокса




Нагрузка равномерно распределяется на монтажные принадлежности

Увеличенная толщина стенки бокса в местах установки монтажных элементов

АКСЕССУАРЫ



Трубный ввод для импульсных линий
или кабелей, EPDM или силикон
температура применения от -60°C...+200°C



Изоляционный адаптер для
импульсных линий из
твердого полиуретана



Лабиринтный фильтр
Дренажный клапан

ПРИБОРНЫЕ ШКАФЫ И КОНТЕЙНЕРЫ



Protected operating conditions

INTERTEC

Стеновые элементы типа «сэндвич»

Модульная система

Широкий строительный ряд

Различные типы конструкций

Специальные исполнения






Protected operating conditions

INTERTEC


BASIC

Небольшие габариты и вес





Различные варианты монтажа



Front view



Side view

General view
(opened)General view
(rear side)Top view
(without roof)**INTERTEC**INTERTEC-Haus GmbH D-93033 Neustadt/Do. Ruffenhofstr. 8
Ph.: +49 (0)9445/9232-0 Fax: +49 (0)9445/9232-32

Status:

Order

Scale:

1:10

All dimension tolerances are according to DIN 7168-medium unless otherwise specified.

Customer: Emerson P.M. AG / Baar / CH

Description: Protective Cabinet - complete mounted

Type: BASIC - 100.080.040

Drawing-No.: D071356-1

Date

Name

checked by

Zerner

Article-No.:




Q071356

Sheet: 1



of: 1

Size: A3


This drawing is the property of INTERTEC-Haus GmbH. It shall not be copied or submitted to outside parties without our written consent.



General view
1:12.5



		Status:	Scale:	All dimensions are in mm unless otherwise specified. Customer: Merzall S.O.
		Order:	1:1	
INTERTEC S.p.A. - 20090 Sesto San Giovanni (MI) - Italy Tel. 02/57555111 - Fax 02/57555112		Drawn:	16.12.2010	Description: INTERTEC PROTECTIVE CABINET Type: TYPE BASIC 110.098.057
		Check:	16.12.2010	
		Article No.:		Drawing No.: Q1040250-Pos. 10-1
		Q1040250 - Pos. 10		
Scale:	1:1	Drawn:	16.12.2010	Revised:





Protected operating conditions


INTERTEC


CLASSIC



Усиленная конструкция


Модульная система






Side View

(without wal panel)




Front View

(without door panel)




Side View

(without wal panel)




General View




Top View

(without roof)



INTERTEC		Status:	Scale:	All dimension tolerances are according to DIN 7168-medium unless otherwise specified.	
INTERTEC-Heiss GmbH D-63303 Neustadt/Do. Paffenslootstr. 8 Phn.: 49-(0)6445/9532-0 Fax: 49-(0)6445/9532-32		Customer: ABB Automation		Description: INTERTEC Protective Cabinet	
		Date	Name	Type: Classic 210.090.070	
		Designed by	04.05.2007	Drawing-No.: D071296-0	
		Checked by		Sheet: 1	
		Article-No.: A071296		of: 1	
				Size: A3	
Editor	Modifikation	Date	Name	This drawing is the property of INTERTEC-Heiss GmbH. It shall not be copied or submitted to outside parties without our written consent.	



Section A-A

INTERTEC®		Status:	Scale:	All dimension tolerances are according to DIN 7186-medium unless otherwise specified.	
INTERTEC-Haus GmbH · D-93233 Neudach/Dc · Raltheimstr. 8 Ph: +49 (0)9443/9532-0 Fax: +49 (0)9443/9532-32		Quote	1:10	Customer: INTERTEC-R	
		Date	Name	Description:	
		assigned to	17.11.2008	INTERTEC-PROTECTIVE CABINET	
		packed to	17.11.2008	Type:	
				TYPE CLACCIC 750.950.050	
		Article-No.:		Drawing-No.:	
		Q083165		D083165-0	
Editor	Modification	Date	Name	This drawing is the property of INTERTEC-Haus GmbH. It shall not be copied or submitted to outside parties without our written consent.	

Sheet: 1
of: 4
Size: A3

ARCTIC SHELTER


Усиленная теплоизоляция

Стеновые панели 3 x 6 м



Protected operating conditions

INTERTEC



FIRE SHELTER



Protected operating conditions

INTERTEC

При наружной температуре 800°C
Температура на поверхности прибора
не превышает 60°C
F-30 в течение 30 мин
F-60 в течение 60 мин






DIABINET




Protected operating conditions


INTERTEC




Front View




Top View
(without cover part)



Side View



General View






INTERTEC® INTERTEC-Hess GmbH D-63333 Neu-Isenhardt, Refractorstr. 8 Tel.: 49-(0)4456532-0 Fax: 49-(0)4456532-32		Status:	Scale:	All dimension tolerances are according to DIN 7180-medium unless otherwise specified.	
			1:10	Customer: R.T.I-Paris	
		Date:	Name:	Description:	
		Issued by:	Func:	Diabinet - Installation	
		Issued by:		Type:	
				600x700x700 Oil-Filter	
		Article-No.:		Drawing-No.:	Sheet: 2
				A063493 - 0	of: 2
					Size: A3
Color:	Modification:	Date:	Name:	This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent.	

Front view


Section B-B

General view



Section A-A

Heater
MULTITHERM
NPA 200 TS






INTERTEC® INTERTEC-Heatec GmbH D-42699 Solingen Telefon: 0212 6564-0 Fax: 0212 6564-100 E-Mail: info@intertec-heatec.de		Status:	Scale:	All dimension tolerances are according to DIN 7168 medium unless otherwise specified.
		Order:		
Date: 27.07.2009 Drawn by: 28.07.2009		Name: Schenck Checked:		Description: DIABINET 105.050.050 Type: 2 x P, 2 x DP - measurement / heated
Article-No.: P090158-T1		Drawing-No.: D090158-T1-0		
Sheet: 1 of: 1 Size: A3				
This drawing is the property of INTERTEC-Heatec GmbH. It shall not be copied or submitted to outside parties without our written consent.				



Protected operating conditions

INTERTEC


ЗАЩИТНЫЕ КОЗЫРЬКИ




Защита от осадков и УФ-излучения

Возможность крепления на прибор


Front View





Side View



General View



Top View



Bracket galvanized steel

INTERTEC INTERTEC-Haus GmbH D-63303 Neu-Isenhardt, H Phone: +49 (0)9445/9532-0 Fax: +49 (0)9445/9532-32		Status:	Scale:	All dimension tolerances are according to DIN 7155-medium unless otherwise specified. Customer: SKEC / GS E&C
		Date	Name	
Designed by	13.04.2007	Reviewed by		Description: Sunshade - Installation Type: SD - 22 with Rosemount Model 3144P
Article-No.:		Drawing-No.:		
Editor	Modification	Date	Name	Sheet: 2 of: 6 Size: A3





This drawing is the property of INTERTEC-Haus GmbH. It shall not be copied or submitted to outside parties without our written consent.

ЗАЩИТНЫЕ КОЗЫРЬКИ



Protected operating conditions

INTERTEC



Дополнительная боковая защита

Возможность монтажа
Нескольких приборов

ЭЛЕКТРОНАГРЕВАТЕЛИ



Protected operating conditions


INTERTEC

взрывозащищенное и общепромышленное исполнение


Конвекционные

горизонтальный монтаж

вертикальный монтаж



SL MINITHERM



CP VARITHERM




E 150



CP MICROTHERM TS



CP MULTITHERM TS



CP MEGATHERM TS

ЭЛЕКТРОНАГРЕВАТЕЛИ



Protected operating conditions

INTERTEC

взрывозащищенное и общепромышленное исполнение

Кондукционные

SL POSTTHERM



SL BLOCKTHERM .K.



ПАРОНАГРЕВАТЕЛИ



Protected operating conditions

INTERTEC

MULTISTEAM

VARISTEAM




DHU



КОНТРОЛЛЕРЫ ТЕМПЕРАТУРЫ



Термостат TAE



TC ATEX D SMART

TC ATEX AI



Термостат TS-E



Термостатный вентиль TV/SC-I

Вся продукция INTERTEC-HESS поставляется в комплекте с технической и разрешительной документацией

